

Tyre changer NAV11N

GTIN: 4057612935752

SKU: ROT.NV11N.201782-G

Mounting head and mounting lever, Quick-Fit system mounting tool, hydraulic operating unit, truck, bus and agriculture, rim diameter 11 – 27⅞, max wheel width 925 mm | Grey (RAL 7016)

DESCRIPTION


ACCESSORIES



Clamping range extensions for rim Ø up to 56
G108A12
Adapters to increase clamping capacity | 1 set / 4 pieces



Pneumatic bead pushing device for agricultural tyres
G108A34



Clamp protections for alloy rims
G108A1
1 set / 4 pieces



Clamp protections for alloy rims | 1 set / 4 pieces
G108A2



Rings lever for trucks
G108A13



Bead-locking clamp for EM rims
G108A25



Bead-locking clamp for alloy rims
G90A6
Protection for alloy rims



Bead breaker roller
G108A36
For tubeless tyres



Grease paste for tyre mount/ dismount | 3.5 kg
G800A37



Brush wood, angled
G108A16
For wheel assembly machines



Bead breaker disc for snap rings
G108A22



Bead breaker disc for snap rings
G108A24



Adapters with increased adherence
G108A5
With increased adherence

Control conversion kit
G108A29
Kit for cable or Bluetooth operation | incl. cable

ACCESSORIES



Plastic protection for mounting head
G108A9
1 piece

Lever kit to position the arms
G108A42
Accessory for commercial tyre changers



Shaft position lock
G108A40

DELIVERY



Mounting lever
G108A3
Short, patented

TECHNICAL DETAILS

Mounting head design	With tire lever
Mounting arm design	Moveable
Mounting column design	Rigid
Colour	7016RAL
TeqLink	Not possible
Workshop-Net	Not possible
Clamping device design	central
Min. clamping capacity	11"
Max. clamping capacity	27"
Max. rim width	36,4"
Min. rim diameter	11"
Max. rim diameter	27"
Tire type truck	Standard
Max. wheel width	925mm
Max. wheel diameter	1640mm
Max. wheel weight	1500kg
Automatic bead-breaking movement	No
Bead breaker force	18kN
Rotation speed	8rpm
Max. torque	3000Nm
Chuck motor rating	2kW
Driving power	0,75kW

Electrical connection	230/400 V, 50 Hz
Phases	1
Fuse protection	24A slow-blow
Width	2810mm
Depth	1620mm
Height	1860mm
Weight	454kg